




Smooth shank

DIN 2817/DIN EN 14 420-5

DOUILLE LISSE CAÑA LISA

Smooth shank DIN 2817/DIN EN 14 420-5




MATERIAL MATIÈRE MATERIAL

- AL = Aluminium
- BR = Brass **Laiton Latón**
- ST = Steel **Acier Acero**
- SS = Stainless steel **Inox**
- PP = Polypropylene

SIZE DIMENSIONS DIMENSIONES

From DN 13 to 150 mm



DN
13
19
25
32
38
50
65
75
100
125
150

■ AL = Aluminium
 ■ BR = Brass *Laiton Latón*
 ■ ST = Steel *Acier Acero*
 ■ SS = Stainless steel *Inox*
 ■ PP = Polypropylene

Trelleborg Fittings

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.	Notes
 <p>Female thread. Fileté femelle. <i>Rosca hembra.</i></p>	SS 316L	1/2"	13	510 91 24	
		3/4"	19	010 00 08	
		1"	25	010 00 09	
		1"1/4	32	010 00 10	
		1"1/2	38	010 00 11	
		2"	50	010 00 12	
		2"1/2	63	010 00 13	
		3"	75	010 00 14	
 <p>Male thread. Fileté mâle. <i>Rosca macho.</i></p>	SS 316L	4"	100	510 01 71	
		1/2"	13	510 91 25	
		3/4"	19	010 00 01	
		1"	25	010 00 02	
		1"1/4	32	010 00 03	
		1"1/2	38	010 00 04	
		2"	50	010 00 05	
		2"1/2	63	010 00 06	
 <p>Female thread. Fileté femelle. <i>Rosca hembra.</i></p>	BR	3"	75	010 00 07	
		4"	100	510 01 70	
		3/4"	19	510 02 27	
		1"	25	510 02 28	
		1"1/4	32	500 50 02	
		1"1/2	38	510 02 29	
		2"	50	510 02 30	
		2"1/2	63	510 01 20	
 <p>Male thread. Fileté mâle. <i>Rosca macho.</i></p>	BR	3"	75	510 02 31	
		4"	100	510 02 42	
		3/4"	19	510 16 43	
		1"	25	510 01 75	
		1"1/4	32	010 00 30	
		1"1/2	38	010 00 32	
		2"	50	010 01 20	
		2"1/2	63	011 81 69	
 <p>Male thread. Fileté mâle. <i>Rosca macho.</i></p>	PP	3"	75	510 01 76	
		4"	100	510 01 77	
		1"	25	510 01 73	
		1"1/2	38	510 01 74	
		2"	50	010 01 33	
		3"	75	010 01 34	