


NFE 29 573 Express



NFE 29 573 Express

MATERIAL MATIÈRE MATERIAL

- **BR** = Brass **Laiton Latón**
- **ST** = Steel **Acier Acero**
- **SS** = Stainless steel **Inox**

SIZE DIMENSIONS DIMENSIONES


From DN 1/4" to DN 1" 1/4

GASKETS JOINTS JUNTA

NBR

THREAD FILETAGE ROSCA

BSP/ISO 228-1



DN	Ø
1/4"	40,5
1/2"	
3/4"	
1"	
1"1/4	




AL = Aluminium BR = Brass Laiton Latón ST = Steel Acier Acero SS = Stainless steel Inox PP = Polypropylene

Trelleborg Fittings 2013

			ID coupling	ID shank	Ref.	Notes
			Diam. raccord Diam. racor	Diam. douille Diam. espiga		
 <p>Serrated hose shank. NBR gasket. Annelé. Joint NBR. <i>Acanalado. Junta NBR.</i></p>	BR		9		510 23 13	
			13		510 23 12	
			16		510 17 55	
			19		510 17 56	
			25		510 17 57	
 <p>Female thread. NBR gasket. Fileté femelle. Joint NBR. <i>Rosca hembra. Junta NBR.</i></p>	BR		1/4"		510 23 09	
			1/2"		510 17 52	
			3/4"		510 17 53	
			1"		510 17 54	
			1"1/4		510 51 03	
 <p>Male thread. NBR gasket. Fileté mâle. Joint NBR. <i>Rosca macho. Junta NBR.</i></p>	BR		1/4"		510 23 06	
			1/2"		510 17 49	
			3/4"		510 17 50	
			1"		510 17 51	
			1"1/4		510 23 08	
 <p>Cap Express. NBR gasket. Bouchon Express. Joint NBR. <i>Tapon Express. Junta NBR.</i></p>	BR				510 23 17	
 <p>Serrated hose shank. NBR gasket. Annelée. Joint NBR. <i>Acanalado. Junta NBR.</i></p>	SS 316		16		510 15 55	
			19		510 15 56	
			25		510 15 57	
 <p>Female thread. NBR gasket. Fileté femelle. Joint NBR. <i>Rosca hembra. Junta NBR.</i></p>	SS 316		1/2"		510 15 52	
			3/4"		510 15 53	
			1"		510 15 54	
 <p>Male thread. NBR gasket. Fileté mâle. Joint NBR. <i>Rosca macho. Junta NBR.</i></p>	SS 316		1/2"		510 15 49	
			3/4"		510 15 50	
			1"		510 15 51	
 <p>Express BW. NBR gasket. Express BW. Joint NBR. <i>Express BW. Junta NBR.</i></p>	SS 316			33,7	510 22 59	
 <p>Cap Express. NBR gasket. Bouchon Express. Joint NBR. <i>Tapon Express. Junta NBR.</i></p>	SS 316				510 15 58	

■ AL = Aluminium
 ■ BR = Brass **Laiton Latón**
 ■ ST = Steel **Acier Acero**
 ■ SS = Stainless steel **Inox**
 ■ PP = Polypropylene

Trelleborg Fittings 2013

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.	Notes	
 <p>Gasket. Joint. <i>Junta.</i></p>	FPM			510 15 59		
	NBR			510 23 05		
 <p>Ferrule (20 pieces packaging). Jupe (par 20 pièces). <i>Campana (para 20 piezas).</i></p>	ST	19		011 78 95		
		N° 15	14 - 16	510 22 96		
		N° 17	16 - 18	510 22 97		
		N° 20	19 - 21	510 22 98		
		N° 23	22 - 24	510 22 99		
	 <p>Clamp. Collier serrage. <i>Abrazadera.</i></p>	ST	N° 26	25 - 27	510 23 00	
			N° 29	28 - 30	510 23 01	
			N° 32	31 - 33	510 23 02	
			N° 36	35 - 37	510 23 03	
			N° 38	37 - 39	510 23 04	