

Shank with welding end

DOUILLE À SOUDER RACOR CON CAÑA PARA SOLDAR

Shank with welding end

MATERIAL MATIÈRE MATERIAL

 **SS** = Stainless steel **Inox**

SIZE DIMENSIONS DIMENSIONES

From DN 13 to 150 mm

AL = Aluminium BR = Brass Laiton Latón ST = Steel Acier Acero SS = Stainless steel Inox PP = Polypropylene

Trelleborg Fittings

		OD weld. part OD douille OD caña	DN	Ref.	Notes
 <p>Serrated hose shank. With collar. Douille crantée. A colerette. <i>Acanalado. Con cuello.</i></p>	SS 316	13	13	510 70 00	
		16	16	510 70 08	
		19	19	510 70 01	
		25	25	510 70 02	
		32	32	510 70 03	
		38	38	510 70 04	
		51	51	510 70 05	
		63,5	63	510 70 06	
 <p>Serrated hose shank. With collar. Douille crantée. Pour jonc. <i>Acanalado. Con cuello.</i></p>	PAGE 99. Circlip and ferrule. Jupe et jonc. <i>Junta y anillo.</i>	25	25	011 71 96	
		33,7	33,7	510 02 74	
		38	38	011 71 97	
		45	45	510 05 05	
		51	51	011 71 98	
		63,5	63,5	011 71 99	
		70	70	510 04 50	
		76,1	76,1	011 72 00	
		101,5	101,5	011 72 01	
		125	125	510 01 44	
 <p>Serrated hose shank. With collar. Douille lisse. A colerette. <i>Acanalado. Con cuello.</i></p>	SS 316	13	13	510 70 33	
		16	16	510 70 34	
		19	19	510 70 35	
		25	25	510 70 36	
		32	32	510 70 37	
		38	38	510 70 38	
		51	51	510 70 39	
		63,5	63	510 70 40	
		76,1	76	510 70 41	
		104	102	510 70 42	