

TRI-CLAMP
DIN 32676/ISO 2851

TRI-CLAMP DIN 32676/ISO 2851

MATERIAL MATIÈRE MATERIAL

 **SS** = Stainless steel **Inox**

SIZE DIMENSIONS DIMENSIONES


From DN 25 to 100 mm

FERRULE (SMS NORM)




DN	d	B
25	22,5	50,5
38	35,5	50,5
51	48,5	64
63	60,5	77,5
76	72,9	91
104	100	119

GASKET JOINT (SMS NORM)




Ø ext. tube	B	C
50,5	25	22,5
50,5	38	35,5
64	51	48,5
77,5	63,5	60,5
91	76,1	72,5
119	104	100

CLAMP COLLIER



Ø tube	Ø ext. ferrule A
25 à 40	50,5
49,3 - 51 - 52	64
60,3 - 63	77,5
70 - 76,1	91
85 - 88,9	106
101,6 - 104	119

CLAMP	MINI CLAMP Ø34		MICRO CLAMP Ø25		CLAMP	ØA	ØB
	ØA	ØB	ØA	ØB			
	34	12	25	8	25	50,5	22,6
	34	13,5	25	10	38	50,5	35,6
	34	14	25	12	51	64	48,6
	34	16	25	13,5	63,5	77,5	60,3
	34	17,2	25	17,2	76,1	91	72,9
	34	18			101,6	119	97,6
	34	21,3	ØB à mesurer impérativement (mini et micro)		ØA = Ø sur ferrule		
	34	22					

AL = Aluminium BR = Brass Laiton Latón ST = Steel Acier Acero SS = Stainless steel Inox PP = Polypropylene

Trelleborg Fittings

		OD ferrule clamp Diam. ext. ferrule Diam. ext. clamp	ID shank Diam. douille Diam. espiga	Ref.	Notes
 <p>Coupling. Serrated hose shank. For circlip. SMS Norm. Raccord. Douille cran-tée. Pour jonc. Norme SMS. Racor. Caña acanalada. Para anillo. Norma SMS.</p>	<p>PAGE 99. Circlip and ferrule. Jupe et jonc. Junta y anillo.</p>	SS 316L	50,5	25	011 70 75
			50,5	38	011 70 76
			64	51	011 70 77
			77,5	63	011 70 78
			91	76	011 70 79
			119	101,5	011 70 80
 <p>Clamp. TRI CLAMP. Collier. TRI CLAMP. Abrazadera. TRI CLAMP.</p>		SS 304	50,5		011 82 27
			64		011 80 97
			77,5		011 82 28
			91		011 82 29
 <p>Gasket. SMS Norm. Joint. Norme SMS. Junta. Norma SMS.</p>		EPDM	50,5	25	510 05 59
			50,5	38	510 05 65
			64	51	510 02 72
			77,5	63	510 05 66
			91	76	510 02 73
			119	104	510 05 67
 <p>Coupling. Smooth shank. With collar. SMS Norm. Raccord. Douille lisse. A collerette. Norme SMS. Racor. Caña lisa. Con cuello. Norma SMS.</p>		SS 316L	50,5	25	510 05 46
			50,5	38	510 05 47
			64	50	510 05 94
			77,5	63	510 05 95
			91	75	510 05 96
 <p>For welding. SMS Norm. A souder. Norme SMS. Para soldar. Norma SMS.</p>		SS 316L	50,5	25	510 05 68
			50,5	38	510 05 69
			64	51	510 02 70
			77,5	63	510 05 70
			91	76	510 02 71
			119	104	510 05 71